MY 25-27 COLLECTION

It's easy to make a simple product look simple – but it takes genius to make a complex one elegant. That's where Controltech excels. Components such as handlebars, seatposts and even wheels may look simple, but if you want high performance, you inevitably introduce a great deal of complexity under the skin and behind the scenes.

At Controltech, we break that down to four key elements. First, there's the ideas stage, but even our Research & Development is inextricably linked with a hard understanding of materials and manufacturing. Our innovation and engineering overlaps real-world riding with pure science and good engineering – it's the only way to work out not just what's possible, but what's desirable.

Next, we look at aerodynamics, using a mix of Computational Fluid Dynamics (CFD) and real-world performance testing. It's a vital area for road and especially triathlon products, and our longstanding expertise in carbon fiber and high-precision alloy milling mean Controltech's use of shaping is second to none.

We never restrict ourselves to one material, even within a single component. Each part of every piece is carefully specified for its particular properties: the strength of steel, the low density of aluminum, the exotic hardness of titanium, or just about any aspect of the many different types of carbon our experts work with. With Controltech's hard-won knowledge, carbon can be optimized in any number of areas, styles and directions at once.

Last – and least, in one very specific sense – is weight. Low weight is vital, yet when you put this much effort into the first three areas, it almost takes care of itself. Careful design, the correct choice and sourcing of materials and beautifully minimalistic shaping combine with advanced manufacturing techniques – such as multiple tube wall thicknesses, intense CNC machining and complex one-piece moulding – to create very low weights without structural compromise. Controltech builds strong, it builds light, and it builds advanced.

WHERE OUR CONTROL TAKES PLACE

Our main customers are spread across various continentals, including bicycles, e-bikes, motorcycles and medical. With cutting-edge innovation and advanced technical know-how, Controltech Bicycle Components creates compelling niche value for all its customers. A complete sales, service, flexibility and distribution network allows Controltech to provide a comprehensive range of products and immediate technical support to its customers around the world.

"Innovation, Intelligence, Information, Interaction and Individual" are the five main pillars of Controltech Bicycle Components development strategy. Moreover, Controltech Bicycle Components has developed solutions such Early Adaption and ODM service of bicycle cockpit by efficient and effective rapid engineering & prototyping which allows our OEM customers focusing on their core products such as frame engineering.

Born in the Pacific Northwest region of the United States, Controltech USA produced its frst alloy bar end in 1989. Since its inception, the company has developed a reputation for designing and manufacturing lightweight, durable alloy bicycle components. In the decades, Controltech had enhanced our production into Carbon, Scandium and Alloy materials. We also redesigned the MTB line and developed a successful high end Road bike components. The company had instilled our philosophy: Reliability, Ingenuity, Quality and Value.

I AM IN BETTER CONTROL. WE ARE IN BETTER CONTROL.

CONTROL TECH

CONTENTS

12 NEW PRODUCTS

92 E-BIKE

96 NON SERIES

100 ACCESSORIES

104 DISTRIBUTORS

106 DISCONTINUED PRODUCT

ROAD/GRAVEL

22 COUGAR
26 TUX
28 EXL
30 SLA
32 CLS
36 FALCON
38 ONE
41 OE

MTB

50 TUX
52 EXL
54 SLA
56 CLS
58 LYNX
66 ONE
68 OE

TRIATHLON

78 TIME ZONE
80 SCIROCCO
82 IMPEL/FALCON

NEW PRODUCTS

CONTROL

SIROCCO FL4 1-PCS INTEGRATED CARBON HANDLEBAR



HOOD	FULL
360	389
380	409
400	429
420	449
440	469

RA-561

Material: Ud Carbon
Stem Angle: -12°
Width: 360/380/400/420/440mm
Reach: 70mm
Drop: 120mm
Flare: 4°
Weight: 320g (420/100mm)

Combination:
HB: 360mm/Stem: 80mm
HB: 380mm/Stem: 80mm
HB: 380mm/Stem: 90mm
HB: 400mm/Stem: 90mm
HB: 400mm/Stem: 100mm
HB: 420mm/Stem: 90mm
HB: 420mm/Stem: 100mm
HB: 420mm/Stem: 110mm
HB: 420mm/Stem: 120mm
HB: 440mm/Stem: 110mm
HB: 440mm/Stem: 120mm

SIROCCO FL25 1-PCS INTEGRATED CARBON HANDLEBAR



HOOD	FULL
400	480
420	500
440	520
460	540

RA-562

Material: Ud Carbon
Stem Angle: -12°
Width: 400/420/440/460 mm
Reach: 70mm
Drop: 105mm
Double Flare: Upper 4°/ Lower 25°
Weight: 320g (420/100mm)

Combination:
HB: 400mm/Stem: 80mm
HB: 400mm/Stem: 90mm
HB: 400mm/Stem: 100mm
HB: 420mm/Stem: 80mm
HB: 420mm/Stem: 90mm
HB: 420mm/Stem: 100mm
HB: 440mm/Stem: 80mm
HB: 440mm/Stem: 90mm
HB: 440mm/Stem: 100mm
HB: 460mm/Stem: 80mm
HB: 460mm/Stem: 90mm
HB: 460mm/Stem: 100mm

LYNX 1-PCS INTEGRATED CARBON MTB HANDLEBAR

ATB-321

Material: Ud Carbon	Stem Angle: -10°
Handlebar Width: 760/780/800mm	Stem Length: 50/65/80mm
Handlebar Back Sweep: 9°	Weight: 285g (800/65mm)
Handlebar Upsweep: 4°	Zedler Advanced Plus test passed.

ONE FL16 GRAVEL RISER

RA-558



HOOD	FULL
400	454
420	474
440	494
460	514
480	534
500	554

Material: AL6061
Barbore Ø: 31.8mm
Width: 400/420/440/460/480/500mm
Reach: 70mm
Drop: 115mm
Rise: 10mm
Flare: 16°
Weight: 300g (420mm)



HOOD	FULL
400	494
420	514
440	534
460	554
480	574
500	594

ONE FL25 GRAVEL RISER

RA-559

Material: AL6061	Drop: 115mm
Barbore Ø: 31.8mm	Rise: 10mm
Width: 400/420/440/460/480/500mm	Flare: 25°
Reach: 70mm	Weight: 300g (420mm)

NEW PRODUCTS

TUX -8° SEMI-INTERNAL CARBON STEM

RAS-118

Length: 90/100/110/120mm
Material: UD Carbon
Angle:-8°
Weight:168g (100mm)
Compatible to Token cable box system

CLS -6° OD2 ALLOY STEM

RAS-121

Length: 80/90/100/110/120mm
Material: AL6061
Angle:-6°
Weight:160g (100mm)
Steerer:31.8mm

SMART COCKPIT ADAPTION - HYENA HMI

ST-EB-03

Material: AL6061-T6
Handlebar Ø: 31.8mm
Steerer Ø: 28.6mm (1-1/8")
Length:90mm
Angle: +10°
Weight: 320g (90mm)

LYNX 0° 35 ENDURO STEM

ATB-966

Material: AL6061
Handlebar Ø: 35mm
Steerer Ø: 28.6mm
Length: 35/50mm
Angle: 0°
Weight: 132g (35mm)

LYNX 0° ENDURO STEM

ATB-969

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 28.6mm
Length: 35/50mm
Angle: 0°
Weight: 132g (35mm)

OE 30° TREKKING STEM

ATB-968

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 28.6mm
Length: 60mm
Angle: 30°
Weight: 239g (60mm)
Internal Cable Routing
Split Spacer 5mm x1,10mm x2 are included

SMART COCKPIT ADAPTION FOR OD2 HYENA HMI

ST-EB-06CE

Material: AL6061-T6
Handlebar Ø: 31.8mm
Steerer Ø: 31,8mm (1-1/4")
Length: 100/110/120mm
Angle: -10°
Weight: 266g (100mm)
Includes Cable cover
Split spacer 5mm x 1
Split spacer 10mm x2

SMART COCKPIT ADAPTION FOR OD2 - HYENA HMI

ST-EB-06CC

Material: AL6061-T6
Handlebar Ø: 31.8mm
Steerer Ø: 31.8mm (1-1/4")
Length: 90/100/110/120mm
Angle: -10°
Weight: 258g (90mm)
Includes Cable cover
Split spacer 5mm x 1
Split spacer 10mm x2

SIROCCO MEG T50 CARBON CL

RIM-114

Rim Type: 700C clincher, UD carbon
Rim Depth: 50mm
Outer Rim Width:28mm
Inner Rim Width: 21mm
Axle: Thru-Axle
Axle Width (O.L.D.): F:100mm / R:142mm
Tire width:25-38C

Spoke: Carbon Fiber
Weight: 1350g±30g / pair
SHIMANO 11S or SHIMANO 12S or SRAM XDR 12S Compatible
Normal Bearing
Center-Lock
Tubeless Ready

CUSTOM SIROCCO MINI CLIP-ON

TTH-19-1

Stem-mounted clip-on for integrated handlebar
Canyon
H36
CP10
CP0018
CP0030
Cannondale
HollowGram KNOT System
HollowGram SAVE System
SystemBar R-One Carbon One-Piece Handlebar

Momodesign
Black Inc
Integrated Barstem
Syncros
Syncros Creston IC SL
Syncros Creston IC SL Aero
Syncros Creston IC SL X
Cube
Litening C:68X

Vision
5D ACR
BMC
ICS01 Stem
Pinarello
Most Ultra Talon
Specialized
SL-8
Roval Rapide Cockpit

CUSTOM FALCON MINI CLIP-ON

TTH-14-S

Stem-mounted clip-on for integrated handlebar
Canyon
H36
CP10
CP0018
CP0030
Cannondale
HollowGram KNOT System
HollowGram SAVE System
SystemBar R-One Carbon One-Piece Handlebar

Momodesign
Black Inc
Integrated Barstem
Syncros
Syncros Creston IC SL
Syncros Creston IC SL Aero
Syncros Creston IC SL X
Cube
Litening C:68X

Vision
5D ACR
BMC
ICS01 Stem
Pinarello
Most Ultra Talon
Specialized
SL-8
Roval Rapide Cockpit

ROAD/ GRAVEL

CONTROL TECH

COUGAR FL4 CARBON HANDLEBAR

RA-522

Material: Ud Carbon
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 400/420/440/460mm
Reach: 78mm/70mm(W380)
Drop: 125mm
Flare: 5°
Weight: 275g (420mm)
Compatible with EW-RS910

HOOD	FULL
380	400
400	420
420	440
440	460

Internal cable routing system

COUGAR FL4 ALLOY ERGO HANDLEBAR

RA-531-1

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 400/420/440/460mm
Reach: 78mm
Drop: 125mm
Flare: 4°
Weight: 348g (420mm)
Compatible with EW-RS910

HOOD	FULL
380	400
400	420
420	440
440	460

Internal cable routing system

COUGAR FL4 ALLOY HANDLEBAR

RA-527

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 400/420/440/460mm
Reach: 75mm/70mm(W380)
Drop: 125mm
Flare: 5°
Weight: 370g (420mm)
Compatible with EW-RS910

HOOD	FULL
380	400
400	420
420	440
440	460

Internal cable routing system

COUGAR FL4 ALLOY HANDLEBAR

RA-535

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 400/420/440/460mm
Reach: 78mm
Drop: 125mm
Flare: 4°
Weight: 348g (420mm)
Compatible with EW-RS910

HOOD	FULL
380	400
400	420
420	440
440	460

Internal cable routing system



COUGAR FL16 ALLOY GRAVEL HANDLEBAR

RA-552-1

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 444/464/484/504mm
Reach: 78mm
Drop: 125mm
Flare: 16°
Weight: 348g (420mm)
Compatible with EW-RS910

HOOD WIDTH

FULL WIDTH

HOOD	FULL
380	444
400	464
420	484
440	504

Internal cable routing system

COUGAR FL25 OFF-RAD GRAVEL HANDLEBAR

RA-557

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 400/420/440mm
Reach: 78mm
Drop: 125mm
Flare: 25°
Weight: 340g (420mm)

HOOD WIDTH

FULL WIDTH

HOOD	FULL
400	510
420	530
440	550

Internal cable routing system

COUGAR -8° SEMI-INTERNAL STEM

RAS-114

Material: AL6061
Barbore Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 70/80/90/100/120/130/140mm
Angle: -8°
Weight: 217g (100mm)

RA-531 WITH RAS-114

COUGAR -5° STEM

RAS-92

Material: AL6061
Barbore Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 90/100/110/120mm
Angle: -5°
Weight: 175g (100mm)

COUGAR -6° AERO ALLOY STEM

RAS-94

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 80/90/100/110 mm
Angle: -6°
Weight: 240g (100mm)
Integrated Stem cap, hidden faceplate bolts

COUGAR -8° FULL INTERNAL STEM

RAS-116

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 70/80/90/100/110/120/130mm
Angle: -8°
Weight: 198g (100mm)

COUGAR CARBON HEX SEATPOST

SP-1570

Material: Carbon Fiber
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 20/10/-5/-10mm
Weight: 245g (27.2mm)

PCS COMPRESSOR FOR INTERNAL CABLE ROUTING

CAP-50

Material: Stainless steel
Bolt: Stainless steel
Size: Ø28.5*40mm
Steerer Ø: 1-1/8
Weight: 39g
Up to 4 cables are allowed for internal cable routing.
Pcs compressor

TUX

ROAD/GRAVEL

TUX FL4 COMPACT HANDLEBAR

RA-523

Material: Ud Carbon
Barbore Ø: 31.8mm
Hood Width: 380/400/420/440mm
Full Width: 400/420/440/460mm
Reach: 70mm (380)/75mm
Drop: 125mm
Flare: 4°
Weight: 177g (420mm)
Compatible with EW-RS910 **ZEDLER PASS**



HOOD	FULL
380	400
400	420
420	440
440	460

TUX ±5° STEM

RAS-79-FUD

Material: Carbon Fiber+AL7075
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 70/80/90/100/110/120/130mm
Angle: +/-5°
Weight: 125g (100mm)

TUX -8° SEMI-INTERNAL CARBON STEM

RAS-118

Material: Ud Carbon
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 90/100/110/120mm
Angle: -8°
Weight: 168g (100mm)

TUX LIGHT SB0 SEATPOST

SP-1600

Material: Carbon Fiber
Diameter Ø: 31.6mm
Length: 400mm
Minimun Insert: 100mm
Setback: 0mm
Weight: 240g (31.6mm)

TUX LIGHT SB20 SEATPOST

SP-1610

Material: Carbon Fiber
Diameter Ø: 27.2mm
Length: 350mm
Minimun Insert: 90mm
Setback: 20mm
Weight: 190g (27.2mm)

TUX SB0 SEATPOST

SP-1620

Material: Carbon Fiber
Diameter Ø: 27.2/31.6mm
Length: 400mm
Minimun Insert: 100mm
Setback: 0mm
Weight: 190g (31.6mm)

TUX SB10 SEATPOST

SP-1630

Material: Carbon Fiber
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 10mm
Weight: 185g (27.2mm)

EXL FL6 GRAVEL CARBON HANDLEBAR

RA-556

Material: Ud Carbon
Barbore Ø: 31.8mm
Width: 380/400/420/440mm
Reach: 75mm
Drop: 125mm
Flare: 6°
Weight: 225g (420mm)
Color: Gray
Compatible with EW-RS910



HOOD	FULL
380	420
400	440
420	460
440	480

Internal cable routing system

EXL FL4 COMPACT HANDLEBAR

RA-526

Material: Ud Carbon
Barbore Ø: 31.8mm
Hood Width: 420/440/460mm
Full Width: 400/420/440mm
Reach: 75mm
Drop: 125mm
Flare: 4°
Weight: 195g (420mm)
Compatible with EW-RS910

HOOD	FULL
400	420
420	440
440	460

EXL FL16 CARBON ROAD HANDLEBAR

RA-560

Material: Carbon Fiber
Width: 400/420/440/460mm
Reach: 65mm
Drop: 115mm
Flare: 16°
Weight: 239g (W/420mm)



HOOD	FULL
400	484
420	504
440	524
460	544

EXL ±5° STEM

RAS-82-FUD

Material: Carbon Fiber+AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 128g (100mm)

EXL SB10 SEATPOST

SP-1280UD

Material: Carbon Fiber
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L), 100mm (400L)
Setback: 10mm
Weight: 227g (27.2mm, 350L)

EXL SB23 SEATPOST

SP-1500UD

Material: Carbon Fiber
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 23mm
Weight: 244g (27.2mm)

SLA FL4 COMPACT HANDLEBAR

RA-513

Material: AL7050
Barbore Ø: 31.8mm
Hood Width: 400/420/440mm
Full Width: 420/440/460mm
Reach: 75mm
Drop: 125mm
Flare: 4°
Weight: 250g (420mm)
Compatible with EW-RS910

HOOD	FULL
400	420
420	440
440	460

SLA FL0 ERGO HANDLEBAR

RA-519DB7-8

Material: AL7050
Barbore Ø: 31.8mm
Width: 380/400/420/440mm
Width: 380/400/420/440mm
Reach: 70mm
Drop: 125mm
Weight: 286g (420mm)

SLA ±5° STEM

RAS-85

Material: AL7075
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 120g (100mm)

SLA SB23 SEATPOST

SP-1480

Material: AL2014
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 23mm
Weight: 247g (27.2mm)

SLA SB10 SEATPOST

SP-988

Material: AL7075
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L). 100mm (400L)
Setback: 10mm
Weight: 242g (27.2mm,350L)

CLS FL16 GRAVEL RISER

RA-530/RA-551DI2

HOOD	FULL
380	473
400	493
420	513
440	533

Triangle section for better control

- Material: AL6061
- Barbore Ø: 31.8mm
- Hood Width: 380/400/420/440mm
- Full Width: 473/493/513/533mm
- Reach: 75mm
- Drop: 125mm
- Rise: 20mm
- Flare: 16°
- Weight: 330g (420mm)

CLS FL12 GRAVEL HANDLEBAR

RA-518DB6-8



HOOD	FULL
400	453
420	473
440	493
460	513

- Material: AL6061
- Barbore Ø: 31.8mm
- Hood Width: 400/420/440/460mm
- Full Width: 453/473/493/513mm
- Reach: 75mm
- Drop: 130mm
- Flare: 12°
- Weight: 286g (420mm)

CLS FL0 ROAD RISER

RA-538

Triangle section for better control

- Material: AL6061
- Barbore Ø: 31.8mm
- Width: 360/380/400/420/440mm
- Reach: 70mm
- Drop: 125mm
- Rise: 20mm
- Weight: 330g (420mm)

CLS FL0 ROAD HANDLEBAR

RA-510DB6-8

- Material: AL6061
- Barbore Ø: 31.8mm
- Width: 380/400/420/440mm
- Reach: 81mm
- Back Sweep: 6°
- Drop: 130mm
- Weight: 300g (420mm)

CLS FL4 COMPACT HANDLEBAR

RA-533/RA-544DI2

HOOD	FULL
400	420
420	440
440	460

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 400/420/440mm
Full Width: 420/440/460mm
Reach: 75mm
Drop: 125mm
Flare: 4°
Weight: 293g (420mm)
RA-544DI2 COMPATIBLE WITH EW-RS910

CLS ±17° DROP STEM

RAS-117

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 70/80/90/100/110/120mm
Angle: ±17°
Weight: 130g (100mm)

CLS ±5° STEM

RAS-110

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 60/70/80/90/100/110/120mm
Angle: +/-5°
Weight: 113g (100mm)

CLS SB10 SEATPOST

SP-1180

Material: AL6061
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 10mm
Weight: 285g (27.2mm, 350L)

CLS SB23 SEATPOST

SP-1480

Material: AL6061
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 23mm
Weight: 287g (27.2mm)

FALCON FL0 ERGO HANDLEBAR

RA-519DB6-8

Material: AL6061
Barbore Ø: 31.8mm
Width: 380/400/420/440mm
Reach: 70mm
Drop: 125mm
Weight: 335g (420mm)

FALCON ±5° STEM

RAS-88

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 80/90/100/110/120/130/140mm
Angle: +/-5°
Weight: 170g (100mm)
Top cap and Integrated spacers included

FALCON -8° AERO STEM

RAS-101

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 80/90/100/110/120mm
Angle: -8°
Weight: 170g (100mm)

INTEGRATED SPLIT SPACER

HSS-17

Material: Nylon+30%GF
Height: 5mm/10mm
Weight: 2,5g (5mm)
5g (5mm)
5g(HSS-11 top spacer)
7g(HSS-17 top spacer)

FALCON ALLOY HEX SEATPOST

SP-1540

Material: AL6061
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 20/10/-5/-10mm
Weight: 380g (27.2mm)

FALCON SB20 SEATPOST

SP-1020

Material: AL6061
Diameter Ø: 27.2/31.6mm
Length: 300/350/400mm
Minimun Insert: 90mm (300/350L)
100mm (400L)
Setback: 20mm
Weight: 280g (27.2mm,350L)

ONE FL0 ROUND HANDLEBAR

RA-492DB68

Material: AL6061
Barbore Ø: 31.8mm
Width: 360/380/400/420/440mm
Reach: 70mm (360/380mm), 75mm (400/420/440mm)
Drop: 125mm (360/380mm), 128mm (400/420/440mm)
Weight: 305g (420mm)

ONE FL0 GRAVEL 500

RA-536

Material: AL6061
Barbore Ø: 31.8mm
Width: 500mm
Reach: 78mm
Drop: 125mm
Rise: 20mm
Weight: 350g

ONE FL0 ROAD HANDLEBAR

RA-473DB6-8

Material: AL6061
Barbore Ø: 31.8mm
Width: 380/400/420/440mm
Reach: 78mm
Drop: 140mm
Weight: 314g (420mm)

ONE FL4 GRAVEL RISER

RA-549

Material: AL6061
Barbore Ø: 31.8mm
Hood Width: 400/420/440/460/480/500mm
Full Width: 416/436/456/476/496/516mm
Reach: 70mm
Drop: 115mm
Rise: 10mm
Flare: 4°
Weight: 308g (420mm)



HOOD	FULL
400	416
420	436
440	456
460	476
480	496
500	516

ONE OE ROAD/GRAVEL

ONE FL16 GRAVEL HANDLEBAR

RA-558

Material: AL6061
Barbore Ø: 31.8mm
Width: 400/420/440/460/480/500mm
Reach: 70mm
Drop: 115mm
Flare: 16°
Rise: 10mm
Weight: 300g (420mm)



HOOD	FULL
400	454
420	474
440	494
460	514
480	534
500	554

ONE FL25 OFF-ROAD GRAVEL HANDLEBAR

RA-559

Material: AL6061
Barbore Ø: 31.8mm
Width: 400/420/440/460/480/500mm
Reach: 70mm
Drop: 115mm
Flare: 25°
Rise: 10mm
Weight: 300g (420mm)



HOOD	FULL
400	494
420	514
440	534
460	554
480	574
500	594

ONE ±17° DROP STEM

RAS-217

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 70/80/90/100/110/120mm
Angle: +/-17°
Weight: 130g (100mm)

ONE ±5° STEM

RAS-80

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 60/70/80/90/100/110/120/130mm
Angle: +/-5°
Weight: 135g (100mm)

ONE SB10 SEATPOST

SP-1080

Material: AL6061
Handlebar Ø: 27.2/30.9/31.8mm
Lenght Ø: 350/400MM
Minimum Insert: 90mm (350L), 100mm (400L)
Setback: 10mm
Weight: 285g (27.2mm, 350L)

OE FL0 ROAD HANDLEBAR

RA-540

Material: AL6061
Barbore Ø: 31.8mm
Width: 360/380/400/420/440mm
Reach: 70mm
Drop: 125mm
Weight: 300g (420mm)

OE SB10 SEATPOST

SP-1640

Material: AL6061
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L), 100mm (400L)
Setback: 10mm
Weight: 305g (27.2mm,350L)

OE 30° FULL-INTERNAL TREKKING STEM

ATB-968

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 60mm
Angle: 30°
Weight: 239g

OE ±5° STEM

RAS-99

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 60/70/80/90/100/110/120mm
Angle: +/-5°
Weight: 135g (100mm)

ROAD COLLECTION SPEC

STEM

	RAS-108	RAS-94	RAS-92	RAS-114	RAS-116	RAS-79	RAS-82	RAS-85	RAS110
ANGLE	-8°	-6°	-5°	-8°	-8°	±5°	±5°	±5°	±5°
40									
45									
50									
60							V		V
70				V	V	V	V	V	V
80		V		V	V	V	V	V	V
90	V	V	V	V	V	V	V	V	V
100	V	V	V	V	V	V	V	V	V
110	V	V	V	V	V	V	V	V	V
120	V		V	V	V	V	V	V	V
130				V	V	V	V	V	
140				V					
STACK HEIGHT	32	36	35	31.2	36	40	40	40	40
STEERER Ø	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"
BARBORE Ø	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8
BODY	CARBON	AL6061	AL6061	AL6061	AL6061	AL7075+ CARBON	AL6061+ CARBON	AL7075	AL6061
FACEPLATE	CARBON	AL6061	AL6061	AL6061	AL6061	AL7075+ CARBON	AL6061	AL7075	AL6061
BOLT	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435	STAINLESS STEEL	SCM-435	STAINLESS STEEL	SCM-435
FINISH	CARBON	SB BLACK	SB BLACK	SB BLACK	SB BLACK	CARBON	CARBON	SB BLACK	SB BLACK
WEIGHT	200G (100MM)	240G (110MM)	182G (110MM)	230G (100MM)	200G (100MM)	125G (100MM)	128G (100MM)	120G (100MM)	113G (100MM)

STEM

	RAS-117	RAS-88	RAS-101	RAS-80	RAS-217	RAS-99
ANGLE	±17°	±5°	-8°	±5°	±17°	±5°
40						
45						
50						
60				V		V
70	V			V	V	V
80	V	V	V	V	V	V
90	V	V	V	V	V	V
100	V	V	V	V	V	V
110	V	V	V	V	V	V
120	V	V	V	V	V	V
130		V		V		
140		V				
STACK HEIGHT	40	30.5	36	40	40	40
STEERER Ø	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"
BARBORE Ø	31.8	31.8	31.8	31.8	31.8	31.8
BODY	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
FACEPLATE	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
BOLT	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	130G (100MM)	170G (100MM)	170G (100MM)	135G (100MM)	130G (100MM)	135G (100MM)

ROAD BARS

	RA-550	RA-522	RA-527	RA-531-1	RA-535	RA-552-1	RA-509	RA-523	RA-534	RA-526
BARBORE	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8
360										
380		V	V	V	V	V		V		
400	V	V	V	V	V	V	V	V	V	V
420	V	V	V	V	V	V	V	V	V	V
440	V	V	V	V	V	V	V	V	V	V
460										
500										
DROP(MM)	125	125	125	125	125	125	130	125	125	125
REACH	75	70(W380) 78	70(W380) 75	78	78	78	75	70(W380) 75	75	75
FLARE		5°	5°	4°	4°	16°		4°	16°	4°
BACK SWEEP									6°	
RISE									20	
COMPATIBLE EW-RS910	V	V	V	V	V	V		V	V	V
MATERIAL	CARBON	CARBON	AL6061	AL6061	AL6061	AL6061	TI+CARBON	CARBON	CARBON	CARBON
FINISH	CARBON	CARBON	SB BLACK	SB BLACK	SB BLACK	SB BLACK	TITANIUM	CARBON	CARBON	CARBON
WEIGHT	275G (420MM)	275G (420MM)	370G (420MM)	348G (420MM)	348G (420MM)	348G (420MM)	235G (420MM)	177G (420MM)	245G (420MM)	195G (420MM)

ROAD BARS

	RA-513	RA-519	RA-510	RA-533	RA-544	RA-530	RA-551	RA-518	RA-538
BARBORE	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8
360									V
380		V	V			V	V		V
400	V	V	V	V	V	V	V	V	V
420	V	V	V	V	V	V	V	V	V
440	V	V	V	V	V	V	V	V	V
460								V	
500									
DROP(MM)	125	125	130	125	125	125	125	130	125
REACH	75	70	81	75	75	75	75	75	70
FLARE	4°			4°	4°	16°	16°	12°	
BACK SWEEP			6°						
RISE						20	20		20
COMPATIBLE EW-RS910	V				V		V		
MATERIAL	AL7050	AL7075	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	250G (420MM)	286G (420MM)	300G (420MM)	293G (420MM)	293G (420MM)	330G (420MM)	330G (420MM)	286G (420MM)	330G (420MM)

ROAD BARS

	RA-519	RA-536	RA-549	RA-473	RA-492	RA-540
BARBORE	31.8	31.8	31.8	31.8	31.8	31.8
360					V	V
380	V			V	V	V
400	V		V	V	V	V
420	V		V	V	V	V
440	V		V	V	V	V
460			V			
480			V			
500		V	V			
DROP(MM)	125	125	115	140	125(W360-380) 128(W400-440)	125
REACH	70	78	70	78	70(W360-380) 75(W400-440)	70
FLARE			4°			
BACK SWEEP						
RISE		20	10			
COMPATIBLE EW-RS910						
MATERIAL	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	335G (420MM)	350G	308G (420MM)	314G (420MM)	305G (420MM)	300G (420MM)

SEATPOST

		SP-1570	SP-1610	SP-1630	SP-1280	SP-1500	SP-988	SP-1480
LENGTH (MM)	250							
	300							
	350	V	V	V	V	V	V	V
	400				V		V	
	410							
DIAMETER (MM)	27.2	V	V	V	V	V	V	V
	30.9				V		V	
	31.6	V		V	V	V	V	V
SETBACK(MM)		20/10/-5/-10	20	10	10	23	10	23
MATERIAL	TUBE	CARBON	CARBON	CARBON	CARBON	CARBON	AL7075	AL2014
	CLAMP	AL6061	AL6066	AL2014	AL2014	AL2014	AL2014	AL2014
	BOLT	SCM-435	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
FINISH		CARBON	CARBON	CARBON	CARBON	CARBON	SB BLACK	SB BLACK
WEIGHT		245G (L350/Ø27.2)	190G (L350/Ø27.2)	185G (L350/Ø27.2)	227G (L350/Ø27.2)	244G (L350/Ø27.2)	242G (L350/Ø27.2)	247G (L350/Ø27.2)

SEATPOST

		SP1180	SP-1480	SP-1540	SP-1020	SP-1080	SP-1640
LENGTH (MM)	250						
	300				V		
	350	V	V	V	V	V	V
	400				V	V	V
	410						
DIAMETER (MM)	27.2	V	V	V	V	V	V
	30.9					V	V
	31.6	V	V	V	V	V	V
SETBACK(MM)		10	23	20/10/-5/-10	20	10	10
MATERIAL	TUBE	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
	CLAMP	AL2014	AL2014	AL6061	AL2014	AL2014	AL6061
	BOLT	STAINLESS STEEL	STAINLESS STEEL	SCM-435	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
FINISH		SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT		285G (L350/Ø27.2)	287G (L350/Ø27.2)	380G (L350/Ø27.2)	282G (L350/Ø27.2)	285G (L350/Ø27.2)	305G (L350/Ø27.2)

ROAD BARS

	RA-557	RA-558	RA-559	RA-556	RA-560
BARBORE	31.8	31.8	31.8	31.8	31.8
360					
380				V	
400	V	V	V	V	V
420	V	V	V	V	V
440	V	V	V	V	V
460		V	V		V
480		V	V		
500		V	V		
DROP(MM)	125	115	115	125	115
REACH	78	70	70	75	65
FLARE	25°	16°	25°	6°	16°
BACK SWEEP					
RISE		10	10		
COMPATIBLE EW-RS910	V	V	V	V	V
MATERIAL	AL6061	AL6061	AL6061	CARBON	CARBON
FINISH	SB BLACK	SB BLACK	SB BLACK	CARBON	CARBON
WEIGHT	348G (420MM)	300G (420MM)	300G (420MM)	225G (420MM)	239G (420MM)

	RA-561	RA-562
HB: W/ STEM:EX	360/80	400/80
	380/80	400/90
	380/90	400/100
	400/90	420/80
	400/100	420/90
	420/90	420/100
	420/100	440/80
	420/110	440/90
	420/120	440/100
	440/110	460/80
	440/120	460/90
		460/100
DROP(MM)	120	105
REACH	70	70
FLARE	4°	25°
STEM ANGLE	-12°	-12°
COMPATIBLE EW-RS910	V	V
MATERIAL	CARBON	CARBON
FINISH	CARBON	CARBON
WEIGHT	320G (420/100MM)	320G (420/100MM)

	ATB-321	
HB LENGTH	760	V
	780	V
	800	V
STEM LENGTH	50	V
	65	V
	80	V
BACK SWEEP	9°	
UP SWEEP	4°	
STEM ANGLE	-10° 0 +10°	
MATERIAL	CARBON	
FINISH	CARBON	
WEIGHT	285G (W800*EX65)	

	ST-EB-03	ST-EB-06 CE	ST-EB-06 CC
ANGLE	+10°	-10°	-10°
40			
50			
60			
70			
80			
90	V		V
100		V	V
110		V	V
120		V	V
130			
STACK HEIGHT	45	32	32
STEERER ø	1+1/8"	31.8	31.8
BARBORE ø	31.8	31.8	31.8
BODY	AL6061	AL6061	AL6061
FACEPLATE	AL6061	AL6061	AL6061
BOLT	SCM-435	SCM-435	SCM-435
FINISH	SB BLACK	SB BLACK	SB BLACK
WEIGHT	320G (90MM)	266G (100MM)	258G (90MM)

	RAS-118	RAS-121	ATB-966	ATB-969	ATB-968	ATB-960	RAS-104
ANGLE	-8°	-6°	0°	0°	+30°	-17°	+40°
35			V	V			
40							
45							
50			V	V			
60					V	V	V
70						V	V
80		V				V	V
90	V	V				V	V
100	V	V				V	V
110	V	V				V	V
120	V	V					V
130							V
STACK HEIGHT	32	40	35	35	50	32	50
STEERER ø	1-1/8"	31.8	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"
BARBORE ø	31.8	31.8	35	31.8	31.8	31.8	31.8
BODY	CARBON	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
FACEPLATE	CARBON	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
BOLT	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435	SCM-435
FINISH	CARBON	SB BLACK	BLACK	BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	168G (100MM)	160G (100MM)	132G (35MM)	140G (35MM)	239G (60M)	163G (60MM)	146G (60MM)

MTB

CONTROL TECH

TUX FLAT TOP BAR

ATB-300-8UD

Material: Carbon Fiber
Barbore Ø: 31.8mm
Width: 720/760mm
Rise: 0mm
Back Sweep: 9°
Weight: 160g (720mm) **ZEDLER PASS**

TUX SL FLAT BAR (CROSS COUNTRY ONLY)

ATB-287-8UD

Material: Carbon Fiber
Barbore Ø: 31.8mm

Width: 720mm
Rise: 0mm
Back Sweep: 9°
Weight: 136g

TUX SL RISER BAR (CROSS COUNTRY ONLY)

ATB-288-8UD

Material: Carbon Fiber
Barbore Ø: 31.8mm
Width: 720/760mm

Rise: 15mm
Back Sweep: 9°
Up Sweep: 6°
Weight: 125g

TUX -8° SEMI-INTERNAL CARBON STEM

RAS-118

Material: Ud Carbon
Handlebar Ø: 31.8mm
Steerer ø: 1-1/8"
Length: 90/100/110/120mm
Angle: -8°
Weight: 168g

TUX ±5° STEM

RAS-79-FUD

Material: Carbon Fiber + AL7075
Handlebar Ø: 31.8mm
Steerer ø: 1-1/8"
Length: 70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 125g (100mm)

TUX LIGHT SB0 SEATPOST

SP-1600

Material: Carbon Fiber
Diameter Ø: 31.6mm
Length: 400mm
Minimun Insert: 100mm
Setback: 0mm
Weight: 245g (31.6mm)

TUX SB0 SEATPOST

SP-1620

Material: Carbon Fiber
Diameter Ø: 27.2/31.6mm
Length: 400mm
Minimun Insert: 100mm (400L)
Setback: 0mm
Weight: 190g (31.6mm)

EXL FLAT TOP BAR

ATB-303-8UD

Material: Carbon Fiber
Barbore Ø: 31.8mm
Width: 700/760/800mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 0mm
Weight: 174g (760mm)

EXL RISER BAR

ATB-304-8UD

Material: Carbon Fiber
Barbore Ø: 31.8mm
Width: 710/750/800mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 20mm
Weight: 189g (750mm)

EXL ±5° STEM

RAS-82-FUD

Material: Carbon Fiber + AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 128g (100mm)

EXL SB0 SEATPOST

SP-1270UD

Material: Carbon Fiber
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L) 100mm (400L)
Setback: 0mm
Weight: 207g (27.2mm,350L)

EXL SB10 SEATPOST

SP-1280UD

Material: Carbon Fiber
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L) 100mm (400L)
Setback: 10mm
Weight: 222g (27.2mm,350L)

SLA FLAT BAR

ATB-262DB7-8

Material: AL7075
Barbore Ø: 31.8mm
Width: 700mm
Back Sweep: 9°
Rise: 0mm
Weight: 248g

SLA FLAT TOP BAR

ATB-281DB7-8

Material: AL7075
Barbore Ø: 31.8mm
Width: 700/760mm
Back Sweep: 9°
Rise: 0mm
Weight: 269g (700mm)

SLA RISER BAR

ATB-284DB7-8

Material: AL7075
Barbore Ø: 31.8mm
Width: 710/750mm
Rise: 15mm
Back Sweep: 9°
Up Sweep: 4°
Weight: 242g (710mm)

SLA ±5° STEM

RAS-85

Material: AL7075
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 120g (100mm)

SLA SB0 SEATPOST

SP-997

Material: AL7075
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 900mm (350L) 1000mm (400L)
Setback: 0mm
Weight: 240g (27.2mm,350L)

SLA SB10 SEATPOST

SP-988

Material: AL7075
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 900mm (350L) 1000mm (400L)
Setback: 10mm
Weight: 242g (27.2mm,350L)

CLS FLAT TOP BAR

ATB-281DB6-8/ATB281DI2

Material: AL6061
Barbore Ø: 31.8mm
Width: 660(Di2)/700/760mm
Rise: 0mm
Back Sweep: 9°
Weight: 268g (700mm)

CLS RISER BAR

ATB-284DB6-8/ATB281DI2

Material: AL6061
Barbore Ø: 31.8mm
Width: 600(Di2)/710/750/800mm
Rise: 15mm
Back Sweep: 9°
Up Sweep: 4°
Weight: 305g (710mm)

CLS ±17° DROP STEM

RAS-117

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 70/80/90/100/110/120mm
Angle: +/- 17°
Weight: 130g (100mm)

CLS ±5° STEM

RAS-110

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90/100/110/120mm
Angle: +/- 5°
Weight: 113g (100mm)

CLS SB0 SEATPOST

SP-1420

Material: AL6061
Diameter Ø: 27.2/30.9/31.6mm
Length: 400mm
Minimun Insert: 100mm
Setback: 0mm
Weight: 289g (31.6mm)

CLS SB10 SEATPOST

SP-1180

Material: AL6061
Diameter Ø: 27.2/31.6mm
Length: 350mm
Minimun Insert: 90mm
Setback: 10mm
Weight: 285g (27.2mm,350L)

LYNX 35 CARBON FLAT TOP BAR

ATB-308/DI2

Material: Carbon Fiber
Barbore Ø: 35.0mm
Width: 710/760/800mm
Back Sweep: 9°
Up Sweep: 0°
Rise: 0mm
Weight: 190g (800mm)

LYNX 35 CARBON RISER

ATB-309

Material: Carbon Fiber
Barbore Ø: 35.0mm
Width: 750/800mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 20mm
Weight: 215g (800mm)

LYNX 31.8 FLAT TOP BAR

ATB-381DB6/ATB-381DB6-DI2

Material: AL6061
Barbore Ø: 31.8mm
Width: 700/760/800mm
Rise: 0mm
Back Sweep: 9°
Weight: 318g (800mm)
Compatible with Shimano Mtb DI2 System

LYNX 35 FLAT TOP BAR

ATB-382DB6-5

Material: AL6061
Barbore Ø: 35mm
Width: 710/760/800mm
Back Sweep: 9°
Rise: 0mm
Weight: 314g (760mm)

LYNX 35 20MM RISER BAR

ATB-383DB6-5

Material: AL6061
Barbore Ø: 35mm
Width: 750/800mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 20mm
Weight: 310g (750mm)

LYNX 31.8 RISER BAR

ATB-384DB6/ATB-384DB6-DI2

Material: AL6061
Barbore Ø: 31.8mm
Width: 710/750/800mm
Rise: 15mm
Back Sweep: 9°
Up Sweep: 4°
Weight: 306g (710mm), 316g (750mm di2)
Compatible with Shimano Mtb DI2 System

LYNX 35 30MM RISER

ATB-316DB65

Material: AL6061
Barbore Ø: 35.0mm
Width: 800mm
Back Sweep: 7°
Up Sweep: 5°
Rise: 30mm
Weight: 345g

LYNX 31.8 30MM RISER

ATB-317DB65

Material: AL6061
Barbore Ø: 31.8mm
Width: 620mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 30mm
Weight: 255g

LYNX 35 TOP RISER BAR

ATB-311DB65

Material: AL6061
Barbore Ø: 35mm
Width: 750/800mm
Rise: 35mm
Back Sweep: 9°
Up Sweep: 4°
Weight: 306g (750mm)

LYNX 35 20MM RISER BAR

ATB-315DB65

Material: AL6061
Barbore Ø: 35mm
Width: 800mm
Back Sweep: 7°
Up Sweep: 5°
Rise: 20mm
Weight: 347g

LYNX FULL-INTERNAL INTEGRATED CARBON HANDLEBAR

ATB-321

Material: Carbon Fiber
Stem Angle: -10°
Stem Length: 50/65/80mm
Handlebar back sweep: 9 °
Handlebar upsweep: 4°
Handlebar Length: 760/780/800mm
Weight: 285g (W/800 XEX/65)
Compatible to Token M-BOX

LYNX 0° STEM

ATB-956

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 40/50mm
Angle: +/-0°
Weight: 149g (40mm)
Ideal for All Mountain & Enduro 27.5 and 29er.

LYNX 35 0° STEM

ATB-957

Material: AL6061
Handlebar Ø: 35mm
Steerer Ø: 1-1/8"
Lenght: 40/50mm
Angle: +/-0°
Weight: 172g (40mm)
Ideal for All Mountain & Enduro 27.5 and 29er.

LYNX 35 0° STEM

ATB-949

Material: AL6061
Handlebar Ø: 35mm
Steerer Ø: 1-1/8"
Lenght: 50/60/70/80mm
Angle: +/-0°
Weight: 140g (60mm)

LYNX INTEGRATED -10° DROP STEM

ATB-965

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Lenght: 80/90/100mm
Angle: -10°
Weight: 178g (80mm)

LYNX 35 0° ENDURO STEM

ATB-966

Material: AL6061
Handlebar Ø: 35mm
Steerer Ø: 1-1/8"
Length: 35/50mm
Angle: 0°
Weight: 132g (35mm)

LYNX 0° ENDURO STEM

ATB-969

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 35/50mm
Angle: 0°
Weight: 149g (35mm)

LYNX DROPPER SEATPOST

SP-1530

Material: AL6066
Diameter Ø: 30.9/31.6mm
Travel: 100/125/150mm
Length: 311mm (100 Travel) 361mm (125 Travel) 425mm (150 Travel)
Minimun Insert: 80mm (100 Travel) 90mm (125 Travel) 100mm (150 Travel)
Insertion Depth: 285mm
Weight: 590g (31.6mm, Travel 125mm)
Feature: Engineering plastic remote control with gimbals design for better ergonomics

LYNX 27.5ER
RIM-71
LYNX 29ER
RIM-72

Material: AL6061
Front hub cnc AL6061: 100x15mm, 2 bearings
Rear hub cnc AL6061: 142x12mm, 4 bearings
Rim Depth: 21mm
Rim Width: 24mm
Weight: 27.5er 1535g / pair, 29er 1669g / pair
Tubeless ready rime profile
Sapim race 2.0/1.8/2.0 double butted round spokes
Toolless cassette body removal for easy maintenance
Compatible with Shimano 11s/Sram 10s & xd 11s

LYNX 27.5 PLUS

RIM-73



Material: AL6061
Front hub cnc AL6061: 110x15mm, 2 bearings
Rear hub cnc AL6061: 148x12mm, 4 bearings
Rim Depth: 18mm
Rim Width: 40mm
Weight: 1771g / pair
Tubeless ready rime profile
Sapim race 2.0/1.8/2.0 double butted round spokes
Toolless cassette body removal for easy maintenance
Compatible with Shimano 11s/Sram 10s & xd 11s

LYNX CARBON 29ER WIDE

RIM-85



Material: Carbon Fiber
Front hub cnc AL6061: 110x15mm, 32 holes, 2 bearings
Rear hub cnc AL6061: 148x12mm, 32 holes, 4 bearings
Rim Depth: 25mm
Rim Width: 35mm
Weight: 1695g / pair
Tubeless ready rime profile
Toolless cassette body removal for easy maintenance
Compatible with Shimano 11s/Sram 10s & xd 11s

LYNX 29ER WIDE

RIM-86



Material: AL6061
Front hub cnc AL6061: 110x15mm, 32 holes, 2 bearings
Rear hub cnc AL6061: 148x12mm, 32 holes, 4 bearings
Rim Depth: 19mm
Rim Width: 32mm
Weight: 1845g / pair
Tubeless ready rime profile
Toolless cassette body removal for easy maintenance
Compatible with Shimano 11s/Sram 10s & xd 11s

LYNX BOOST HUB

HUB-48

Material: AL6061
Spoke holes: F/R 32
Front hub: old 110mm, ta-15
Rear hub old 148mm, ta-12
Weight: F 199g / R 320g
Rotor: standard 6-bolt
Freehub: Alloy, Shimano 11s hg or Shimano 12 s
Microspline or Sram xd drive

LYNX SUPER BOOST HUB

HUB-49

Material: AL6061
Spoke holes: F/R 32
Front hub: old 110mm, ta-15
Rear hub old 157mm, ta-12
Weight: F 199g / R 330g
Rotor: standard 6-bolt
Freehub: Alloy, Shimano 11s hg or Shimano 12 s
Microspline or Sram xd drive

ONE FLAT BAR

ATB-210DB6-8

Material: AL6061
Barbore Ø: 31.8mm
Width: 600/700/760mm
Back Sweep: 6°(600mm)
Back Sweep: 9°(700/760mm)
Weight: 244g (700mm)

ONE RISER BAR

ATB-213DB6-8

Material: AL6061
Barbore Ø: 31.8mm
Width: 660/700mm
Rise: 20mm
Up Sweep: 6° (660mm), 5° (700mm)
Back Sweep: 6° (660mm), 9° (700mm)
Weight: 305g (700mm)

ONE ±17° DROP STEM

RAS-217

Material: AL6061
Handlebar Ø: 3.18mm
Steerer ø: 1-1/8"
Length: 70/80/90/100/110/120mm
Angle: +/-17°
Weight: 130g (100mm)

ONE ±5° STEM

RAS-80

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90/100/110/120/130mm
Angle: +/- 5°
Weight: 135g (100mm)

ONE SB10 SEATPOST

SP-1080

Material: AL6061
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L), 100mm (400L)
Setback: 10mm
Weight: 285g (27.2mm, 350L)

OE RISER BAR

ATB-306

Material: AL6061
Barbore Ø: 31.8mm
Width: 620/700/750mm
Back Sweep: 9°
Up Sweep: 4°
Rise: 15mm
Weight: 326g (750mm)

OE FLAT BAR

ATB-307

Material: AL6061
Barbore Ø: 31.8mm
Width: 650/700/750/780mm
Back Sweep: 9°
Weight: 295g (750mm)

OE CRUISER BAR

TR-678

Material: AL6061
Barbore Ø: 31.8mm
Width: 630/585mm
Rise: 22mm
Back Sweep: 35°
Up Sweep: 15°
Weight: 304g
Compatible with Shimano Steps SC-E5000



OE SB10 SEATPOST

SP-1640

Material: AL6061
Diameter Ø: 27.2/30.9/31.6mm
Length: 350/400mm
Minimun Insert: 90mm (350L), 100mm (400L)
Setback: 10mm
Weight: 305g (27.2mm, 350L)

OE ±5° STEM

RAS-99

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90/100/110/120mm
Angle: +/- 5°
Weight: 135g (100mm)

OE 30° FULL-INTERNAL TREKKING STEM

ATB-968

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60mm
Angle: 30°
Weight: 239g

MTB COLLECTION SPEC

WHEELS

	RIM-71	RIM-72	RIM-73	RIM-85	RIM-86
HUB	F:100x15mm R:142x12mm	F:100x15mm R:142x12mm	F:110x15mm R:148x12mm	F:110x15mm R:148x12mm	F:110x15mm R:148x12mm
RIM DEPTH	21MM	21MM	18MM	25MM	19MM
RIM WIDTH	24MM	24MM	40MM	35MM	32MM
WEIGHT	1535G	1669G	1771G	1695G	1845G

HUB

	HUB-48	HUB-49
HUB	F:110x15mm / R:148x12mm 32 HOLES F & R	F:110x15mm / R:157x12mm 32 HOLES F & R
MATERIAL	AL6061	AL6061
WEIGHT	F:199G / R:320G	F:199G / R:330G

STEM

	RAS-79	RAS-82	RAS-85	RAS-110	RAS-117	ATB-956	ATB-957
ANGLE	±5°	±5°	±5°	±5°	±17°	±0°	±0°
40						V	V
45							
50						V	V
60		V		V			
70	V	V	V	V	V		
80	V	V	V	V	V		
90	V	V	V	V	V		
100	V	V	V	V	V		
110	V	V	V	V	V		
120	V	V	V	V	V		
130	V	V	V				
STACK HEIGHT	40	40	40	40	40	41	43
STEERER Ø	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"
BARBORE Ø	31.8	31.8	31.8	31.8	31.8	31.8	35
BODY	AL7075+ CARBON	AL6061+ CARBON	AL7075	AL6061	AL6061	AL6061	AL6061
FACEPLATE	AL7075+ CARBON	AL6061	AL7075	AL6061	AL6061	AL6061	AL6061
BOLT	STAINLESS STEEL	SCM-435	STAINLESS STEEL	SCM-435	SCM-435	SCM-435	SCM-435
FINISH	CARBON	CARBON	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	125G (100MM)	128G (100MM)	120G (100MM)	113G (100MM)	130G (100MM)	149G (40MM)	172G (40MM)

STEM

	ATB-965	ATB-949	RAS-80	RAS-217	RAS-99
ANGLE	-10°	±0°	±5°	±17°	±5°
40					
45					
50		V			
60		V	V		V
70		V	V	V	V
80	V	V	V	V	V
90	V		V	V	V
100	V		V	V	V
110			V	V	V
120			V	V	V
130			V		
STACK HEIGHT	36	42	40	40	40
STEERER Ø	1-1/8"	1-1/8"	1-1/8"	1-1/8"	1-1/8"
BARBORE Ø	31.8	35	31.8	31.8	31.8
BODY	AL6061	AL6061	AL6061	AL6061	AL6061
FACEPLATE	AL6061	AL6061	AL6061	AL6061	AL6061
BOLT	SCM-435	STAINLESS STEEL	SCM-435	SCM-435	SCM-435
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	178G (80MM)	140G (60MM)	135G (100MM)	130G (100MM)	135G (100MM)

MTB BARS

	ATB-300	ATB-287	ATB-288	ATB-303	ATB-304
BARBORE	31.8	31.8	31.8	31.8	31.8
585					
600					
620					
640					
650					
660					
680					
690					
700				V	
710					V
720	V	V	V		
740					
750					V
760	V		V	V	
780					
800				V	V
BACK SWEEP	9°	9°	9°	9°	9°
UP SWEEP	0°	0°	6°	4°	4°
RISE	0	0	15	0	20
MATERIAL	CARBON	CARBON	CARBON	CARBON	CARBON
FINISH	CARBON	CARBON	CARBON	CARBON	CARBON
WEIGHT	160G (720MM)	136G (720MM)	125G (720MM)	174G (760MM)	189G (750MM)
ZEDLER	V				

MTB BARS

	ATB-262	ATB-281	ATB-284	ATB-281	ATB-284	ATB-308	ATB-309	ATB-381	ATB-382	ATB-383	ATB-384
BARBORE	31.8	31.8	31.8	31.8	31.8	35	35	31.8	35	35	31.8
585											
600					V						
620											
640											
650											
660				V							
680											
690											
700	V	V		V				V			
710			V		V	V			V		V
720											
740											
750			V		V		V			V	V
760		V		V		V		V	V		
780											
800					V	V	V	V	V	V	V
BACK SWEEP	9°	9°	9°	9°	9°	9°	9°	9°	9°	9°	9°
UP SWEEP	0°	0°	4°	0°	4°	0°	4°	0°	0°	4°	4°
RISE	0	0	15	0	15	0	20	0	0	20	15
MATERIAL	AL7075	AL7050	AL7050	AL6061	AL6061	CARBON	CARBON	AL6061	AL6061	AL6061	AL6061
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	CARBON	CARBON	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	248G (700MM)	269G (700MM)	242G (710MM)	268G (700MM)	305G (710MM)	190G (800MM)	215G (800MM)	318G (800MM)	314G (760MM)	310G (750MM)	NON DI2 306G (710MM) DI2 316G (750MM)
ZEDLER							V				

MTB BARS

	ATB-311	ATB-315	ATB-316	ATB-317	ATB-210	ATB-213	ATB-306	ATB-307	TR-678
BARBORE	35	35	35	31.8	31.8	31.8	31.8	31.8	31.8
585									V
600					V				
620				V			V		
630									V
640									
650								V	
660						V			
680									
690									
700					V	V	V	V	
710									
720									
740									
750	V						V	V	
760					V				
780									
800	V	V	V					V	
BACK SWEEP	9°	7°	7°	9°	9°(W700/600) 4°(600)	6°(W660) 9°(W700)	9°	0°	35°
UP SWEEP	4°	5°	5°	4°	0°	6°(W660) 5°(W700)	4°	9° 6°(W640)	15°
RISE	35	20	30	30	0	20	15	0	22
MATERIAL	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061	AL6061
FINISH	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT	306G (750MM)	347G (800MM)	345G (800MM)	255G (620MM)	244G (700MM)	305G (700MM)	326G (750MM)	295G (750MM)	304G (630MM)
ZEDLER									

SEATPOST

		SP-1600	SP-1620	SP-1270	SP-1280	SP-997	SP-998	SP-1420	SP-1180
LENGTH (MM)	250								
	300								
	311								
	350			V	V	V	V		V
	361								
	400	V	V	V	V	V	V	V	
	410								
	425								
DIAMETER (MM)	27.2		V	V	V	V	V	V	V
	30.9			V	V	V	V	V	
	31.6	V	V	V	V	V	V	V	V
TRAVEL(MM)		0	0	0	0	0	0	0	0
SETBACK(MM)		0	0	0	10	0	10	0	10
MATERIAL	TUBE	CARBON	CARBON	CARBON	CARBON	AL7075	AL7075	AL6061	AL6061
	CLAMP	AL6066	AL2014	AL2014	AL2014	AL2014	AL2014	AL2014	AL2014
	BOLT	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
FINISH		CARBON	CARBON	UD	UD	SB BLACK	SB BLACK	SB BLACK	SB BLACK
WEIGHT		245G (L400/Ø31.6)	190G (L400/Ø31.6)	207G (L350/Ø27.2)	227G (L350/Ø27.2)	240G (L350/Ø27.2)	240G (L350/Ø27.2)	289G (L400/Ø31.6)	285G (L350/Ø27.2)

SEATPOST

		SP-1530	SP-1080	SP-1640
LENGTH (MM)	250			
	300			
	311	V		
	350		V	V
	361	V		
	400		V	V
	410			
	425	V		
DIAMETER (MM)	27.2		V	V
	30.9	V	V	V
	31.6	V	V	V
TRAVEL(MM)		100/125/150	0	0
SETBACK(MM)		0	10	10
MATERIAL	TUBE	AL6066	AL6061	AL6061
	CLAMP	AL6066	AL2014	AL6061
	BOLT	SCM-435	STAINLESS STEEL	STAINLESS STEEL
FINISH		SB BLACK	SB BLACK	SB BLACK
WEIGHT		590G (TRAVEL 125 Ø31.6)	285G (L350/Ø27.2)	305G (L350/Ø27.2)

TT/TRI

CONTROL TECH

TIME ZONE TT AEROBAR

TTH-17

Material: Ud Carbon
Width: 400mm
Extension Bar Rise: 30mm
Length: Max. 300mm(C To Top) , Min. 240mm
Extension Bar: S Bar, Up / Down Angle: 20°
Extension Bar: S Bar, R / L Angle: 10°
Armrests R / L Adjustable : R/30mm, L/30mm
Armrests F / B Adjustable : F/50mm, B/50mm
Armrest's + / - Adjustable Angle: 10°(+/-5°)
Option Spacers: 20mm Or 40mm Or 60mm(20+40mm)
Compatible With DI2
Weight: 745g (Min Stack)





SMART BAR GRIP



TT - COMBAT MODE



TRIATHLON - ENDURANCE MODE

TIME ZONE EVO ARM CUP

TTH-18P

Material: EVA
Weight: 25g / pair
Elbow pad of time zone aerobar

TIME ZONE EVO ARM CUP

TTH-18EP

Material: Reinforced Engineering Plastic / Eva
Weight: 145g / pair
Elbow pad of time zone aerobar

TIME ZONE AEROBAR SPACER KIT

TTH-1761M

Material: AL6061
Weight: 345g / set
20mm Spacer/40mm Spacer/Bridge and Bolts for 20mm/40mm/60mm spacers are included

FRONT

REVERSE

TIME ZONE TRI AEROBAR

TTH-18

Material: Ud Carbon
Width: 400mm
Extension Bar Angle: 34°
Length: Max. 300mm(C To Top) , Min. 240mm
Extension Bar: J Bar, Up / Down Angle: 20°
Extension Bar: J Bar, R / L Angle: 10°
Armrests R / L Adjustable : R/30mm, L/30mm
Armrests F / B Adjustable : F/50mm, B/50mm
Armrest's + / - Adjustable Angle: 10°(+/-5°)
Option Spacers: 20mm Or 40mm Or 60mm(20+40mm)
Compatible With DI2
Weight: 755g (Min Stack)

SIROCCO MINI CLIP-ON

TTH-19

Material: Ud Carbon
Length: max 213mm
Extension Bar Angle: 45°
Handlebar mounted ø: 31.8mm
Armrests F / B adjustable : 46mm
weight: 370g(with c clamp) 377g(with round clamp) 362g(with squre clamp)
Stem mounted for Itu compliance

TTH-19-2

Handlebar Mounted

TTH-19-1



Stem Mounted

SIROCCO AERO MINI CLIP-ON

TTH-27

Material: Reinforced engineering plastic
Length: 140mm
Extension Bar Angle: 45°
Handlebar mounted ø: 31.8mm
Weight: 336g

SIROCCO PAD

TTH-19P

Material: Plus Foam
Weight: 20g

SIROCCO ADAPTOR KIT
(HANDLEBAR-MOUNTED)

TTH-1961C

Material: AL6061
Clamp ø: 31.8mm
Weight: 99g / set

SIROCCO ADAPTOR KIT
(STEM-MOUNTED)

TTH-1961S

Material: AL6061
Weight: 91g / set (round sten mounted) 106.5g / set (round sten mounted)

IMPEL MINI CLIP-ON

TTH-13

Material: Carbon
Clamp ø: 31.8mm
Length: 168mm
Option Spacers: 30mm
Weight: 225g

FALCON MINI CLIP-ON
(HANDLEBAR MOUNTED)

TTH-14

Material: AL6061
Clamp ø: 31.8mm
Length: max 183mm(c to top), min 143mm
Extension: u bar, up 29mm(c to c)
Armrest's R/L adjustable: R/30mm, L/30mm
Armrest's +/- adjustable angle: 15°(+/-7.5°)
Option spacers: 20/40/60mm
Weight: 407g (with pad)

IMPEL SPACER

TTH-13M

Material: AL6061
Height: 30mm
Weight: 96g/set

FALCON CLIP-ON adaptor kit
(STEM-Mounted)

TTH-1461S

Material: AL6061
Weight: 74.5g/set

ADAPTOR KIT FOR SQUARE STEM BODY

Material: AL6061
Weight: 106.5G / set, 478g(with TTH-14)

ADAPTOR KIT FOR ROUND STEM BODY

Material: AL6061
Weight: 91g / set, 464g(with TTH-14)

IMPEL PAD

TTH-13P

Material: Lycra + Eva
Weight: 96g / pair

TT CARBON EXTENSION S BEND

TTH-25

Material: Carbon
Clamp ø: 31.8mm
Extension bar rise: 30mm
Length: max. 300mm(c to top) , min. 240mm
Armrest's R/L adjustable: R/30mm, L/30mm
Armrests F / B adjustable : F/50mm, B/50mm
Armrest's +/- adjustable angle: 10°(+/-5°)
Option spacers: 20/40/60mm
Weight: 420g
Color: glossy/matte

FALCON TT ALLOY EXTENSION S BEND

TTH-15

Material: AL6061
Clamp ø: 31.8mm
Extension bar rise: 29mm
Length: max. 303mm(c to top) , min. 253mm
Armrest's R/L adjustable: R/30mm, L/30mm
Armrests F / B adjustable : F/50mm, B/50mm
Armrest's +/- adjustable angle: 10°(+/-5°)
Option spacers: 20/40/60mm
Weight: 450g (with pads)

FALCON TT BAR PAD

TTH-15P

Material: Eva
Weight:13g / pair

TRI CARBON EXTENSION J BEND

TTH-26

Material: Carbon
Clamp ø: 31.8mm
Extension bar angle: 34°
Length: max. 300mm(c to top) , min. 240mm
Armrest's R/L adjustable: R/30mm, L/30mm
Armrests F / B adjustable : F/50mm, B/50mm
Armrest's +/- adjustable angle: 10°(+/-5°)
Option spacers: 20/40/60mm
Weight: 430g
Color: glossy/matte

FALCON TRI ALLOY EXTENSION J BEND

TTH-16

Material: AL6061
Clamp ø: 31.8mm
Extension bar angle: 40mm
Length: max. 303mm(c to top) , min. 253mm
Armrest's R/L adjustable: R/30mm, L/30mm
Armrests F / B adjustable : F/50mm, B/50mm
Armrest's +/- adjustable angle: 10°(+/-5°)
Option spacers: 20/40/60mm
Weight: 462g (with pads)

TIME ZONE AEROBAR PAD

TTH-17P

Material: Lycra+Eva
Weight: 12g / pair

ARMREST STACK SPACER KIT 40MM

TTH-15M

Material: AL6061
Height: 40mm
Weight: 158g / set

TT ALLOY LEVER

TTL-02

Material: AL6061
Size: L126 X W18.7 X H70.8mm
Inner Ø: 20mm
Weight: 188g / pair

ARMREST STACK SPACER KIT 20MM

TTH-15M

Material: AL6061
Height: 20mm
Weight: 90g / set

ARMREST STACK SPACER KIT 60MM

TTH-15M

Material: AL6061
Height: 60mm
Weight: 226g / set

TIME ZONE HYDRATION SYSTEM

THS-01

Material: Hdpe+reingorced engineering plastic
Capacity: 800ml
Size: L262 X W71 X H191mm
Width: 90mm To 120mm (center to center)
Weight: 396g
Compatible with Garmin and Go Pro

FALCON REAR HYDRATION SYSTEMS

BC-31

Material: AL6061+Plastic
Capacity: 2 OR 1 bottles / 1 CO2 canister
Adjustment: Angle up to 45°, up to 30mm
Weight: 220g

SIROCCO REAR HYDRATION SYSTEM

BC-40B/BC-40 (With bottle cages)

Material: AL6061+Plastic
Capacity: 2 Or 1 Bottles / 2 Co2 Canister
Adjustment: Angle Up To 90 Degree
Weight: Bc-40b 180g/Bc-40 263g

TRI-POWER UNIT

BAG-01

Material: TPV+ABS
Size: L220 x W42 x H66mm
Capacity: 260cm^3
Weight: 130g

LIMITED EDITION-GUEE

LIMITED EDITION-JE22

CARBON TRACK HANDLEBAR

RA-548

Material: Carbon Fiber
Width: 340/350/360/380/400mm
Reach: 110mm
Drop: 149mm
Barbore ø: 31.8mm
Grip diameter ø: 26mm
Weight: 345g (360mm)

TRI COLLECTION SPEC

TT BAR

	TTH-17	TTH-18	TTH-27	TTH-19	TTH-13	TTH-14	TTH-25	TTH-26	TTH-15	TTH-16
CLAMP Ø	31.8	31.8	31.8	31.8 / STEM	31.8	31.8	31.8	31.8	31.8	31.8
HANDLE ADJUSTMENT(MM)	-	-	-		-	-	-	-	-	-
PAD HOLDER ADJUSTMENT(MM)	L 30 F 50 R 30 B 50	L 30 F 50 R 30 B 50	-	F 46 B 46	-	L 30 R 30	L 30 R 30	L 30 R 30	L 30 R 30	L 30 R 30
PAD HOLDER ANGLE	L / R 10°(+/- 5°)	L / R 10°(+/- 5°)	-		-	L / R 15°(+/- 7.5°)	L / R 15°(+/- 7.5°)	L / R 15°(+/- 7.5°)	L / R 15°(+/- 7.5°)	L / R 15°(+/- 7.5°)
CLAMP ADJUSTMENT(MM)	-	-	-	-	-	-	-	-	-	-
WING WIDTH(MM)	400	400	-	-	-	-	-	-	-	-
EXTENSION LENGHT(MM)	MAX 300 MIN 240	MAX 300 MIN 240	213	213	168	-	MAX 300 MIN 240	MAX 300 MIN 240	MAX 303 MIN 253	MAX 303 MIN 253
EXTENSION BAR ANGLE	-	34°	45°	45°	-	-	-	34°	-	40°
EXTENSION ADJUSTMENT ANGLE	+ / - 20° L / R 10°	+ / - 20° L / R 10°	-	-	-	-	-	-	-	-
EXTENSION BAR RISE(C TO C)	30	-	-	-	-	29	20	-	28	-
OPTION SPACERS(MM)	20/40/60	20/40/60	-	-	30	20/40/60	20/40/60	20/40/60	20/40/60	20/40/60
LOGO APPLICATION	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL	COLOR DECAL
FINISH	MATT BLACK SHINY BLACK	MATT BLACK SHINY BLACK	MATT BLACK	MATT BLACK	MATT BLACK SHINY BLACK	SB BLACK	MATT BLACK SHINY BLACK	MATT BLACK SHINY BLACK	SB BLACK	SB BLACK
MATERIAL	UD CARBON	UD CARBON	PLASTIC	UD CARBON	UD CARBON	AL6061	UD CARBON	UD CARBON	AL6061	AL6061
BOLTS	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL	SCM-435	SCM-435	STAINLESS STEEL	STAINLESS STEEL	SCM-435	SCM-435
WEIGHT	745G	755G	336G	370G(C Clamp) 377G(Round clamp) 362G(Squre clamp)	225G	407G	420G	430G	450G	462G

TT LEVER

	LEVER
BODY MATERIAL	AL6061
SIZE(MM)	L 126 X W 18.7 X H 70.8
INNER Ø(MM)	20
WEIGHT	170G / PAIR

EI

CONTROL TECH

LYNX 31.8 EI BAR

ATB-310DB68

Material: AL6061
Barbore Ø: 31.8mm
Width: 750/800mm
Back Sweep: 6°
Weight: 305g (800mm)

LYNX 31.8 CARBON EI BAR

ATB-312

Material:Carbon
Barbore Ø: 31.8mm
Width: 720/740/750/800mm
Rise: 8mm
Back Sweep: 6°
Weight: 185g (800mm)
Zedler pass

E-I ±5° STEM

ST-EB-01

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 80/90/100/110mm
Angle: +/- 5°
Weight: 238g (100mm)
Compatible with Bosch Kiox cradle

LYNX FULL INTERNAL -10° DROP STEM

ATB-958

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 1-1/8"
Length: 60/70/80/90mm
Angle: -10°
Weight: 207g (60mm)

EI BARS

	ATB-310	ATB-312
BARBORE	31.8	31.8
600		
620		
640		
650		
660		
680		
690		
700		
710		
720		V
740		V
750	V	V
760		
780		
800	V	V
BACK SWEEP	6°	6°
UP SWEEP	0°	0°
RISE(MM)	0	8
MATERIAL	AL6061	CARBON
LOGO APPLICATION	COLOR DECAL	COLOR DECAL
FINISH	SB BLACK	CARBON
WEIGHT	305G (800MM)	185G (800MM)

EI STEM

	ST-EB-01	ATB-958
ANGLE	±5°	-10°
40		
45		
50		
60		V
70		V
80	V	V
90	V	V
100	V	
110	V	
120		
130		
STACK HEIGHT	41	39
STEERER Ø	1-1/8"	1-1/8"
BARBORE Ø	31.8	31.8
BODY	AL6061	AL6061
FACEPLATE	AL6061	AL6061
BOLT	STAINLESS STEEL	SCM-435
FINISH	SB BLACK	SB BLACK
WEIGHT	238G (100MM)	207G (60MM)

SIROCCO INTEGRATED CARBON HANDLEBAR

RA-550

Material: Ud Carbon
Barbore Ø: 31.8mm
Width: 400/420/440mm
Reach: 75mm
Drop: 125mm
Flare: 0°
Weight: 275g(420mm)
Compatible with Ew-Rs910

SIROCCO INTEGRATED -8° CARBON DROP STEM

RAS-108

Material: Ud Carbon
Handlebar Ø: 31.8mm
Steerer Ø: 28.6mm
Length: 90/100/110/120mm
Angle: - 8°
Weight: 186g (100mm)

SM-07

Material: Alloy
Weight: 32g

STOKER +35° STEM

ATB-922

Material: AL6061
Handlebar Ø: 25.4/31.8mm
Steerer Ø: 29.8/31.6mm
Angle: + 35°
Length: 190-230mm/215-255mm
Weight: 352g (190-230mm, Ø29.8/Ø25.4)

± 40° Drop STEM

RAS-104

Material: AL6061
Handlebar Ø: 31.8mm
Steerer Ø: 28.6mm
Angle: +/- 40°
Length: 60/70/80/90/100/110/120/130mm
Weight: 146g (60mm)

TIMANIA FL0 ROAD HANDLEBAR

RA-509-8

Material: TI + Ud Carbon
Barbore Ø: 31.8mm
Width: 400/420/440mm
Reach: 75mm
Drop: 130mm
Weight: 235g(420mm)

MONOCOQUE FORMING PROCESS INSIDE TITANIUM TUBE

-17° DROP STEM

ATB-960

Material: AL6061
Handlebar Ø: 31.8mm
Steerer ø: 28.6mm
Length: 60/70/80/90/100/110mm
Angle: -17°
Weight: 163g(60mm)

Optional Plastic cover for internal cable routing

ATB-960CH

ECCENTRIC RING

CR-48/SRAM ▪ CR-49/SHIMANO

Material: AL7075
Type: 53/41, 51/36
BCD: 130(53/41) (Sram) 110(53/41, 51/36) (Sram, Shimano)
Weight: 211g (51/36, 5 hole), 221g (53/41, 4 hole)

FTP up	6%
Lower input	6%

- 6% Power
- 6% Cadence
- Pedaling Naturally Round
- Easier Transition From Bike To Running



CONTROLTECH 700C ALLOY WHEELS

RIM-80

Material: AL6061
Rim Type: 700c Clincher
Rim Width(Outside): 23mm
Rim Width(Inside): 17mm
Rim Depth: 30mm
Axle Width (O.l.d.) F: 100mm / R: 130mm
Spoke: F 20h / R 24h
Weight: 2082g / Pair
Shimano 11s or Campy Compatible
Tubeless Ready



CONTROLTECH 700C DISC

RIM-90

Material: AL6061
Rim Type: 700c Clincher
Rim Width(Outside): 25mm
Rim Width(Inside): 18mm
Rim Depth: 28mm
Axle Width (O.l.d.) F: 100mm / R: 142mm
Spoke: F 20h / R 24h
Weight: 1900g / Pair
Shimano 11s or Campy Compatible
Tubeless Ready



SIROCCO MEG T50 CARBON CL

RIM-114

Rim Type: 700C clincher, UD carbon
Rim Depth: 50mm
Outer Rim Width:28mm
Inner Rim Width: 21mm
Axle: Thru-Axle
Axle Width (O.L.D.): F:100mm / R:142mm
Tire width:25-38C

Spoke: Carbon Fiber
Weight: 1350g±30g / pair
SHIMANO 11S or SHIMANO 12S or SRAM XDR 12S Compatible
Normal Bearing
Center-Lock
Tubeless Ready

ADAPT

SC-91

Material: AL6061
Inner Ø: 31.8/34.9mm
Weight: 26g
Hollow design

SETTLE

SC-93

Material: AL7075
Inner Ø: 31.8/34.9mm
Weight: 14g (34.9mm)
Hollow design

CHAIN CATCHER

AC-78

Material: AL6061
Length :100mm with 2 Bolt M5
Weight: 20g

CONTROL SEAT CLAMP

SC-74QR

Material: AL2014
Inner Ø: 31.8/34.9mm
Weight: 52g
Stainless steel axle
Aluminum clamp lever

SETTLE II SET CLAMP

SC-112

Material: AL6061
Inner Ø: 36.4mm
Weight: 25g

ISCG-05 CHAIN GUIDE

AC-83

Material: AL7075
Suitable for narrow-wide 30-40T chainring(round chainring), 30-38T chainring(oval chainring), Adjustable design
Weight: 40g

RIB BOTTLE CAGE

BC-38

Material: Plastic
Weight: 35g

CONVERSION ADAPTER FROM CENTER LOCK TO SIX-BOLT ROTOR

AC-79

Material: AL6061
Weight: 34g

SIDE-OPEN BOTTLE CAGE II

BC-39

Material: Plastic
Weight: 43g

RHS HEADSET

HS-958

Top Cover Material: Reingorced engineering plastic
Size: Upper Is52/28.6, Lower Is52/40
Weight: 76.5g
Compatible To Token Cable Box System Authorized By Token

ACCESSORIES

INTEGRATED SPLIT SPACER

HSS-11

Material: Nylon+Glass fiber
Height: 5/10mm
Weight: 2.5g(5mm), 5g(10mm), 5g(top spacer) for ras-88/ras-101/atb-960

INTEGRATED SPLIT SPACER

HSS-18

Material: Nylon+Glass fiber
Height: 5/10mm
Weight: 2g(5mm), 4g(10mm), 2g(top spacer) for ras-92

INTEGRATED SPLIT SPACER

HSS-26

Material: Nylon
Height:5/10mm
Weight: 6.5g (5mm), 12g (10mm), 5.5g (top spacer)

FALCON WATER BOTTLE

WBT-05

Material: Plastic
Volume:600ml
Weight: 70g

CARBON SPACER

HSS-13

Material: Carbon
Steerer Ø: 28.6mm
Height 5/10/15/20/25mm
Weight: 1.4g(5mm)/2.8g(10mm)

TERMINATOR MTB HANDLEBAR EXTENSION PLUG

AC-63

Material: AL6061
External: 22.2mm
Inner: 17.6-20.2mm
Finish:black
Weight: 37g / pair

TERMINATOR ROAD HANDLEBAR EXTENSION PLUG

AC-62

Material: AL6061
External: 23.8mm
Inner: 17.6-20.2mm
Finish:black
Weight: 45g / pair

COMP ALLOY

CAP-29

Material: AL6061
Steerer Ø: 23.3mm ~ 25.4mm
Weight: 30g
carbon steerer fork friendly, internal expanding system

DBH(DI2 BATTERY HOLDER)

AC-69

Material: Rubber
Seatpost ø: 27.2/30.9/31.6mm
Weight: 6g(ø27.2mm)
Hollow design
Use for Shimano internal
Battery(sm-btr2)securely hide your DI2
Battery wuthin your seatpost

6 IN 1 BIKE TOOL

TL-22

Material: AL6061+CR-V
Spec: Hex 3mm/Hex 4mm/Hex 5mm/ Hex 6mm/Torx T25/FLAT 5

10 IN 1 BIKE TOOL

TL-23

Material: AL6061+CR-V
Spec: hex 2mm/hex 2.5mm/hex 3mm/ hex 4mm/hex 5mm/hex 6mm/hex 8mm/torx t25/flat 5/ph2

16 IN 1 BIKE TOOL

TL-24

Material: AL6061+CR-V
Spec: hex 2mm/hex 2.5mm/hex 3mm/ hex 4mm/hex 5mm/hex 6mm/hex 8mm/torx t25/flat 5/ph2

DISTRIBUTORS

Controltech Worldwild Distributors

Country	Distributor Company Name	Address	Tel. No.	Web
Cambodia	Flying Bikes 2	No. 131 BEO, Pasteur (St51), 12210 Phnom Penh, Cambodia	+855 012727717	flyingbikes2.com
China	Kingforce	No. 155 Baiyundu Rd., Ludu Town, Taicang City, Jiangsu, China	+86-512-5328-9080	www.kingforce.cc
India	Ciclo Essential	Sr-8, Nursery Circle, Vaishali Nagar, Jaipur-302021	+91-9649977772	bicycleparadise.jaipur@gmail.com
Indonesia	Daily Bike Jakarta (DBJ)	Jl. Pluit Karang Cantik No.46, RT.3/RW.18, Pluit, Kec. Penjaringan, Jkt Utara, Daerah Khusus Ibukota Jakarta 14450	+62 88908891938	www.instagram.com/dailybikejkt
Israel	Ride 2 the Edge	Professor yuval Ne'eman Tel Aviv, Israel 6967158	+972 50-888-1996	http://r2te.com/
Japan	Magic One Co. Ltd.	〒593-8322 大阪府堺市西区津久野町3丁2-4	+81 72-263-5135	mgc01.com
Korea	Bikeemcs	Yeongil Building Level 1, Heungseon-Ro 102, Uijeongbu-Si, Gyeonggi-Do, 11672	031-875-6242	http://bikeemcs.co.kr/
Philippines	Bike One Cycle Mart	Unit 9 Pasda Bldg.araneta Ave.cor P.florentino St Brgy.sto Domingo Quezon City,Philippines	+63-2516-3553	www.bikeonecycle.com
Singapore	New Era Cycle	#01-04, 14 Arumugam Road, Ltc Building C, 新加坡 409959	+65 6100 8645	neweracycle.com
Taiwan	Dacaltech Co. Ltd.	12f., No. 325, Renyi St., Sanchong Dist., New Taipei City 241, Taiwan (R.o.c.)	+886-2-28572687	www.dacal.bike
Taiwan	Kenforce International Co., Ltd	Temporary No. 2, Ln. 538, Sec. 1, Yuandong Rd., Yuanlin City, Changhua County 510004, Taiwan (R.o.c.)	+886-4-8353575	www.krex.com.tw
Vietnam	Hp Cycles Vn	72 Đường số 53, Tân Quy, Quận 7, Thành phố Hồ Chí Minh	'+84 907080705	https://www.hpcycles.vn
Argentina	Pereyra Mayorista De Bicicpartes	Alem 660 - La Banda 4300 - Santiago Del Estero Argentina	+54 385 4272400	pereyramayorista.com.ar
Costa Rica, Nicaragua, Panama	Decavisa De Alajuela Sa	Calle Lotes Solis, Alajuela, Alajuela. Costa Rica .20102	+506 50624377800	www.decavisa.com
Colombia	Bike Supply S.a.s.	Calle 23 # 68b-32 Bogota, Colombia	+57 3007319582	
Italy	GB center srl	Via Asiago, 4, 31030 Castello di Godego TV	+39 0423 040110	
Spain & Andorra	Bike Difusion	Arkatxa Kalea, 1, 01006 Vitoria-Gasteiz, Araba, Spain	+34 945 15 82 88	www.bikedifusion.com
Czech Republic & Slovakia	Kck Cyklosport	Bartošova 348 765 02 Otrokovice - Kvítkovice	+420 577 217 520	www.kckcyklosport.cz
Germany & The Benelux Area	Tehava	Tomeikerweg 31 6161rb Geleen Nld	+31-0-46-4752100	www.tehava.com/en-us
Poland	Merida Polska Sp. Z O.o.	Ul.m.c. Sklodowskiej 35. 41-800 Zabrze, Poland	+48-32-273-3232	www.rowerymerida.pl
Portugal	Bikes ACR	Rua Joaquim da Silva Nazareth no40, 7005-401 Évora	+351 961085773	www.bikesacr.com
South Africa	Positive Sports Solutions (Pty) Ltd	2 Regency Drive, Route 21 Office Park, Irene, Centurion 0157, Republic Of South Africa	+27 076 423 3416	positivesportssolutions.co.za
Australia	Linksports	21 North Street Leichhardt Nsw 2040 Australia	+61 02 9560 7841	www.linksports.com.au

DISCONTINUED PRODUCTS

MODEL NAME	ITEM NUMBER	SPECIFICATIONS	NOTES
TUX FLAT BAR	ATB-223-8UD	ALL SIZE	DISCONTINUED
TUX RISER BAR	ATB-259-8UD	ALL SIZE	DISCONTINUED
LYNX SADDLE II	SD-23	ALL SIZE	DISCONTINUED
LYNX -5° DI2 STEM	RAS-96	ALL SIZE	DISCONTINUED
LYNX 0° DH STEM	ATB-959	ALL SIZE	DISCONTINUED
LYNX 35 0° DH STEM	ATB-962	ALL SIZE	DISCONTINUED
BULL HORN ALLOY BASEBAR	RA-499DB7-8	ALL SIZE	DISCONTINUED
COUGAR AERO BASEBAR	RA-547	ALL SIZE	DISCONTINUED
E-I ADJUSTABLE STEM	ST-EB-02	ALL SIZE	DISCONTINUED
SIROCCO 3545 CL	RIM-79	ALL SIZE	DISCONTINUED
SIROCCO 3545 CL DISC	RIM-89-DB	ALL SIZE	DISCONTINUED
CONTROLTECH 700C CARBON WHEELS	RIM-91-2	ALL SIZE	DISCONTINUED
CONTROLTECH 650B ALLOY WHEELS	RIM-94-1	ALL SIZE	DISCONTINUED
CONTROLTECH 650B PLUS ALLOY WHEELS	RIM-95	ALL SIZE	DISCONTINUED
CONTROLTECH 700C ALLOY WHEELS	RIM-96-1	ALL SIZE	DISCONTINUED
CONTROLTECH 700C ALLOY WHEELS	RIM-97	ALL SIZE	DISCONTINUED
SIDE-OPEN BOTTLE CAGE	BC-34	ALL SIZE	DISCONTINUED



CONTROL TECH

controltechbikes.com